

## **Chapter 4**


### **Ambient temperature zincation of *N*-Boc pyrrolidine: Synthesis, Structure and Reactivity of a Sodium Pyrrolide-Zincate Reagent**

#### **Supporting Information**


## Table of Figures

<b>Figure S1</b> $^1\text{H}$ NMR spectrum of $[(\text{TMEDA})\text{Na}(\text{TMP})(\alpha\text{-NC}_4\text{H}_7\text{NBoc})\text{Zn}(\text{tBu})]$ ( <b>13</b> ).....	3
<b>Figure S2</b> $^{13}\text{C}$ NMR spectrum of $[(\text{TMEDA})\text{Na}(\text{TMP})(\alpha\text{-NC}_4\text{H}_7\text{NBoc})\text{Zn}(\text{tBu})]$ ( <b>13</b> ).....	3
<b>Figure S3</b> $^1\text{H}$ NMR spectrum of $[\{(\text{TMEDA})\text{Na}[\text{OC}(\text{NC}_4\text{H}_8)\text{CHPh}]\}_2]$ ( <b>14</b> ).....	4
<b>Figure S4</b> $^{13}\text{C}$ NMR spectrum of $[\{(\text{TMEDA})\text{Na}[\text{OC}(\text{NC}_4\text{H}_8)\text{CHPh}]\}_2]$ ( <b>14</b> ).....	4
<b>Figure S5</b> $^1\text{H}$ NMR spectrum of $[(\text{TMEDA})(\text{Boc-NC}_4\text{H}_8)\text{Na}\{(\eta^2\text{-C}_5\text{H}_4)\text{Fe}(\text{C}_5\text{H}_5)\}\text{Zn}(\text{tBu})_2]$ ( <b>16</b> ).....	5
<b>Figure S6</b> $^{13}\text{C}$ NMR spectrum of $[(\text{TMEDA})(\text{Boc-NC}_4\text{H}_8)\text{Na}\{(\eta^2\text{-C}_5\text{H}_4)\text{Fe}(\text{C}_5\text{H}_5)\}\text{Zn}(\text{tBu})_2]$ ( <b>16</b> ).....	5
<b>Figure S7</b> $^1\text{H}$ NMR spectrum of $[(\text{TMEDA})\text{Na}(\mu\text{-TMP})(\mu\text{-C}_6\text{H}_4\text{OMe})\text{Zn}(\text{tBu})]$ ( <b>17</b> ).....	6
<b>Figure S8</b> $^{13}\text{C}$ NMR spectrum of $[(\text{TMEDA})\text{Na}(\mu\text{-TMP})(\mu\text{-C}_6\text{H}_4\text{OMe})\text{Zn}(\text{tBu})]$ ( <b>17</b> ).....	6



## NMR Data




**Figure S1**  $^1\text{H}$  NMR spectrum of  $[(\text{TMEDA})\text{Na}(\text{TMP})(\alpha\text{-NC}_4\text{H}_7\text{NBoc})\text{Zn}(\text{tBu})]$  (**13**).




**Figure S2**  $^{13}\text{C}$  NMR spectrum of  $[(\text{TMEDA})\text{Na}(\text{TMP})(\alpha\text{-NC}_4\text{H}_7\text{NBoc})\text{Zn}(\text{tBu})]$  (**13**).

solvent =  $d_8$ THFFigure S3  $^1H$  NMR spectrum of  $[{(TMEDA)Na[OC(NC_4H_8)CHPh]}]_2$  (**14**).solvent =  $d_8$ THFFigure S4  $^{13}C$  NMR spectrum of  $[{(TMEDA)Na[OC(NC_4H_8)CHPh]}]_2$  (**14**).



**Figure S5**  $^1\text{H}$  NMR spectrum of  $[(\text{TMEDA})(\text{Boc-NC}_4\text{H}_8)\text{Na}\{(\eta^2\text{-C}_5\text{H}_4)\text{Fe}(\text{C}_5\text{H}_5)\}\text{Zn}(\text{tBu})_2]$  (**16**).



**Figure S6**  $^{13}\text{C}$  NMR spectrum of  $[(\text{TMEDA})(\text{Boc-NC}_4\text{H}_8)\text{Na}\{(\eta^2\text{-C}_5\text{H}_4)\text{Fe}(\text{C}_5\text{H}_5)\}\text{Zn}(\text{tBu})_2]$  (**16**).




Figure S7  $^1\text{H}$  NMR spectrum of  $[(\text{TMEDA})\text{Na}(\mu\text{-TMP})(\mu\text{-C}_6\text{H}_4\text{OMe})\text{Zn}(t\text{Bu})]$  (17).




Figure S8  $^{13}\text{C}$  NMR spectrum of  $[(\text{TMEDA})\text{Na}(\mu\text{-TMP})(\mu\text{-C}_6\text{H}_4\text{OMe})\text{Zn}(t\text{Bu})]$  (17).