


Person 15-3

Blank PET E187 - Sample 5

19F @ jll CDC13 (C:\NMRdata)\jll 14

-62.73.38
-73.41
-73.42
-73.42
-73.43
-73.44
-73.44
-73.44
-73.45
-73.47
-73.48
-73.48
-73.49
-73.50
-73.51
-73.51
-73.52
-73.53
-73.53
-73.53
-73.54
-73.54
-73.54
-73.55
-73.55
-73.56
-73.56
-73.56
-73.57
-73.57
-73.58
-73.58
-73.58
-73.59
-73.59
-73.59
-73.60
-73.60
-73.61
-73.61
-73.62
-73.62
-73.63
-73.63
-73.63
-73.64
-73.64
-73.64
-73.65
-73.65
-73.65
-73.66
-73.66
-73.67
-73.67
-73.67
-74.73
-74.73
-74.74



NAME D148089
EXPNO 2
PROCNO 1
Date_ 20110804
Time 4.18
INSTRUM spect
PROBHD 5 mm QNP 1H/13
PULPROG zg
TD 8000
SOLVENT CDC13
NS 1024
DS 4
SWH 5266.854 Hz
FIDRES 0.658357 Hz
AQ 0.7595167 sec
RG 228
DW 94.933 usec
DE 6.50 usec
TE 295.4 K
D1 1.00000000 sec
TD0 1

===== CHANNEL f1 =====
NUC1 19F
P1 11.30 usec
PL1 -4.00 dB
PL1W 23.72399521 W
SFO1 376.4727641 MHz
SI 65536
SF 376.4983660 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00



-62 -63 -64 -65 -66 -67 -68 -69 -70 -71 -72 -73 ppm