

References

- Abdel Aziz, M. I (2007). Health impact assessment: An overview and examples. *Sudanese J Pub Health*, 2(3), p140-145.
- Adomako, T. (2008). Scaling up sanitation delivery: The perspective of community water and sanitation agency. *Paper presented at the 33rd WEDC Conference* (Access to Sanitation and Safe Water: Global Partnerships and Local Actions), Accra, Ghana.
- Ahmed, T. and Alibhai, K. (2001). Health impacts of WSS projects in northern Pakistan. *Paper presented at the 27th WEDC Conference* (People and Systems for Water, Sanitation, and Health), Lusaka, Zambia
- Al-Arrayed, S., Hafadh, N., Amin, S., Al-Mukhareq, H. and Sanad, H. (2003). Student screening for inherited blood disorders in Bahrain. *La Revue de Santé de la Méditerranée orientale*, 9(3), p344-352.
- Andrien, M. (1994). Chapter 5: Establishing the educational framework. In *Social communication in nutrition: a methodology for intervention*. Development Support Communication Branch Information Division Nutrition Programmes Service Food Policy and Nutrition Division, UN Food and Agricultural Organisation (FAO).
- Anon, (2006). *National Environmental Health Policy*. Accessed at http://www.afro.who.int/des/phe/country_profiles/malawi_policy.pdf
- Appiah, J.O. (1999). Sustainable water and sanitation committees. *Paper presented at the 25th WEDC Conference* (Integrated Development for Water Supply and Sanitation), Addis Ababa, Ethiopia
- Arlosoroff, S., Tschanerl, G., Grey, D., Journey, W., and Karp, A. (1987). Community Water Supply: The Handpump Option. *IBRD*, Washington, DC, ISBN 0-8213-0850-5.
- Association of Public Health Observatories (2007). West Midlands APHO- The HIA Gateway. Accessed at <http://www.apho.org.uk/default.aspx?RID=44546>

Aubert, L., Bovet, P., Gervasoni, J. P., Rwebogora, A., Waeber, B., and Paccaud, F. (1998). Knowledge, Attitudes, and Practices on Hypertension in a Country in Epidemiological Transition. *Hypertension*, **31**, p1136-1145.

Azurin, J. C. and Alvero, M. (1974). Field evaluation of environmental sanitation measures against cholera. *Bull World Health Organ*, **51**, p19-26.

Ball, C. and Ball, M. (1991). Water supplies for rural communities. *Volunteer Services Overseas*, 1991, IT Publications, London, ISBN 1 85339 112 3, p19-21, 31-36.

Banda, L. T., Parkin, D. M., Dzamalala, C. P., and Liomba, N. G. (2001). Cancer incidence in Blantyre, Malawi 1994-1998. *Trop Med Int Health*, **6**(4), p296-304.

Banken, R. (1998). Health impact assessment in Canada. *Presentation given to the 1st UK Health Impact Assessment Conference* in Liverpool, November 1998.

Banken, R. (2001). Strategies for Institutionalising Health Impact Assessment. Brussels: WHO Europe, ECHP Policy Learning Curve. No. 1.

Banken, R. (2003). Health impact assessment: how to start the process and make it last. *Bull World Health Organ*, **2003**(81), p6.

Barnes, R. and Ashbolt, N. (2006). Review of decision tools and trends for water and sanitation development projects. *Paper presented at the 32nd WEDC International Conference* (Sustainable Development of Water Resources, Water Supply, and Environmental Sanitation), Colombo, Sri Lanka.

Barnett, T. and Parkhurst, J. (2005). HIV/AIDS: sex, abstinence, and behaviour change. *The Lancet Infectious Diseases*, **5**(9), p590 – 593.

Bartlett, R. V. (1989). Policy through impact assessment: institutionalised analysis as a policy strategy. New York, Greenwood Press, ISBN 0-313-26775-8.

Bartram, J., Lewis, K., Lenton, R., and Wright, A. (2005). Focusing on improved water and sanitation for health. *Lancet*, **365**, p810-812.

Bhandari, B. and Grant, M. (2007). User satisfaction and sustainability of drinking water schemes in rural communities of Nepal. *Sustainability, Science, Practice, & Policy*, Spring 2007, **3**(1), p12-20.

Bicego, G. T. and Boerma, J. T. (1993). Maternal education and child survival: a comparative study of survey data from 17 countries. *Soc Sci Med*, **36**(9), p1207-27.

Billig, P., Bendahmane, D., and Swindale, A. (1999). Water and sanitation indicators measurement guide. *Food and Nutrition Technical Assistance (FANTA) Project*, Academy for Educational Development, New York, accessed at <http://www.fantaproject.org/downloads/pdfs/watsan.pdf>

Birley, M. H. and Peralta, G. L. (1992). Guidelines for the Health Impact Assessment of Development Projects. *ADB Environment Paper no.11*, Office of the Environment, Asian Development Bank, Manila.

Birley, M. H. (1995). The Health Impact Assessment of Development Projects. HMSO ISBN 0 11 580262 2

Birley, M.H. and Lock, K. (1999). The Health Impacts of Peri-urban Natural Resource Development. Liverpool School of Tropical Medicine, ISBN 0 9533566 12

Birley, M. H. (2002). A review of trends in health-impact assessment and the nature of evidence used. *Environmental Management and Health*, **13**(1), p21-39.

Black, R. E. (2003). Zinc deficiency, infectious disease and mortality in the developing world. *J Nutr*, **133**, p1485S-1489S.

Black, R. E., Craun, G. F., and Blake, P. A. (1978). Epidemiology of common-source outbreaks of shigellosis in the United States, 1961-1975. *Am J Epidemiol*, **108**, p47-52.

Bos, R., Birley, M., Furu, P. and Engel, C. (2003). Health opportunities in development- A course manual on developing intersectoral decision-making

skills in support of health impact assessment. World Health Organisation, Geneva, ISBN 92 4 154563 1.

Bosch, C., Hommann, K., Rubio, G., Sadoff, C., and Travers, L. (2002). Water and Sanitation. Chap. 23 in *A Sourcebook for Poverty Reduction Strategies, Volume 2* (Ed. Jeni Klugman) World Bank, ISBN: 0-8213-4978-3, p373-404 . Accessed at http://povlibrary.worldbank.org/files/13887_chap23.pdf

Bowie, C. (2006). The burden of disease in Malawi. *Malawi Medical Journal*, **18**(3), p 103-110.

Brabin, B. J., Prinsen-Geerligs, P. D., Verhoeff, F. H., Fletcher, K. A., Chimsuku, L. H. E., Ngwira, B. M., Leich, O. J., and Broadhead, R. L. (2004). Haematological profiles of the people of rural southern Malawi: an overview. *Annals of Tropical Medicine and Parasitology*, **98**(1), p71-83(13).

Brandberg, B. (2001). Quality in participatory sanitation programmes. *Paper presented at the 27th WEDC Conference* (People and Systems for Water, Sanitation and Health), Lusaka, Zambia

Broadhead, R. (2008), Department of Paediatrics, University of Malawi, *personal communication*, 2008

Bradley, D. J. and Feachem, R. G. (1978). Environmental epidemiology and sanitation. In *Appropriate Technology in Water Supply and Waste Disposal*, Gunnerson, C and Kalbermatten, J (eds.); New York, *American Society of Civil Engineers*, p 147-175.

Budds, J., Obika, A., Howard, G., Jenkins, M., and Curtis, V. (2002). Social marketing for Urban Sanitation- Literature review (Revised version). *Water, Engineering and Development Centre (WEDC)*, Loughborough University Leicestershire, October 2002, accessed at:
[http://wedc.lboro.ac.uk/projects/proj_contents0/WEJX9%20%20Social%20Marketing/www/outputs/Revised%20literature%20review%20\(pdf\).pdf](http://wedc.lboro.ac.uk/projects/proj_contents0/WEJX9%20%20Social%20Marketing/www/outputs/Revised%20literature%20review%20(pdf).pdf)

Cairncross, S. and Feachem, R. (1983). Environmental health engineering in the tropics: An introductory text. John Wiley & Son Ltd., ISBN 0 471 90012 5.

Cairncross, S. and Feachem, R. (1993). Environmental health engineering in the tropics: An introductory text- 2nd Revised Edition. John Wiley & Son Ltd., ISBN: 9780471938859.

Calis, J. C. J., Phiri, K. S., Faragher, E. B., Brabin, B. J., Bates, I., Cuevas, L. E., de Haan, J. J., Phiri, A. I., Malange, P., Khoka, M., Hulshof, P. J. M., van Lieshout, L., Beld, M. G. H. M., Teo, Y. Y., Rockett, K. A., Richardson, A. , Kwiatkowski, D. P., Molyneux, M. E., and van Hensbroek, M. B. (2008). Severe Anemia in Malawian Children. *N Engl J Med*, **358**, p888-899.

Carter, R. C., Tyrrel, S. F., and Howsam, P. (1999). Strategies for handpump water supply programmes in less developed countries. *Journal of the Chartered Institution of Water and Environmental Management*, **10**(2), p130-136.

Caulfield, L. E., Richard, S. A., and Black, R. E. (2004). Undernutrition as an underlying cause of malaria morbidity and mortality in children less than 5 years old. *Am J Trop Med Hyg*, **71**(S2), p55–63.

Chaulagai, C. N., Moyo, C. M., Koot, J., Moyo, H. B. M., Sambakunsi, T. C., Khunga, F. M., and Naphini, P. D. (2005). Design and implementation of a health management and information system in Malawi: issues, innovations, and results. *Health Policy & Planning*, **20**(6), p375-384(10).

Chianca, T. (2008). The OECD/DAC Criteria for International Development Evaluations: An Assessment and Ideas for Improvement. *Journal of MultiDisciplinary Evaluation*, **5**(9), ISSN 1556-8180 March 2008.

Chisi, J., Nkhoma, A. and Sternberg, J. (2007). Presentation of Trypanosomiasis in Nkhotakota. *Malawi Medical Journal*, **19**(4), p140–141.

Cleland, J. G. and Van Ginneken, J. K. (1988). Maternal education and child survival in developing countries: the search for pathways of influence. *Soc Sci Med*, **27**(12), p1357-1368.

Cole, B. L., Wilhelm, M., Long, P. V., Fielding, J. E., Kominski, G. and Morgenstern, H. (2004). Prospects for Health Impact Assessment in the United States: New and Improved Environmental Impact Assessment or Something

Different?. *Journal of Health Politics, Policy and Law*, **29**(6), p1153-1186;
DOI:10.1215/03616878-29-6-1153.

Colin, J. (1999). VLOM for Rural Water Supply: Lessons from Experience. *WELL Study, Task No: 162*, London School of Hygiene & Tropical Medicine, UK
WEDC, Loughborough University, UK; accessed at
<http://www.lboro.ac.uk/well/resources/well-studies/full-reports-pdf/task0162.pdf>

Courtright, P. (1995). Eye care knowledge and practices among Malawian traditional healers and the development of collaborative blindness prevention programmes. *Soc. Sci. Med.*, **41**(2), p1569-1575.

CSDH (2008). Closing the gap in a generation: health equity through action on the social determinants of health. *Final Report of the Commission on Social Determinants of Health (CSDH)*, World Health Organization, Geneva.

Curtis, V. (2001). Hygiene, how myths monsters and mothers-in-law can promote behavioural change. *J Infection*, **43**, p75-79.

Curtis, V. (2003). Talking dirty: how to save a million lives. *Int Journal of Env Health Research*, **13**, S73-S79.

Curtis, V., and Cairncross, S. (2003). Effect of washing hands with soap on diarrhoea risk in the community: a systematic review. *Lancet Infect Dis*, **3**, p275–281.

Curtis, V., Kanki, B., Cousens, S., Diallo, I., Kpozehouen, A., Sangare, M., and Nikiema, M. (2001). Evidence for behavioural change following a hygiene promotion programme in West Africa. *Bull World Health Organ*, **79**, p518-526.

Dageid, W. and Duckert, F. (2007). The process of evaluating a capacity-building support initiative for HIV positive South Africans. *Evaluation and Program Planning*, **30**(4), p381-391.

Daniels, D. L., Cousens, S. N., Makoa, L. N., and Feachem, R. G. (1990). A case-control study of the impact of improved sanitation on diarrhoea morbidity in Lesotho. *Bull World Health Organ*, **68**, p455-463.

Dasgupta, B. (2000). Parasitology [including entomology and acarology]. Arunabha Sen Books & Allied (P) Ltd., Calcutta, ISBN 81-87134-62-3.

De Gabriele, J. (2002). Improving Community Based Management of Boreholes: a Case Study from Malawi. *Broadening Access and Strengthening Input Market Systems (BASIS)*, accessed at <http://www.ies.wisc.edu/ltc/live/basprog9.pdf>

De Hollander, E. M., Melse, J. M., Lebret, E., Kramers, P. G. N. (1999). An aggregate public health indicator to represent the impact of multiple environmental exposures. *Epidemiology*, **10**(5), p606-617.

Delisle, H., Hatcher-Roberts, J., Munro, M., Jones, L., Gyorkos, T. W. (2005). The role of NGOs in global health research for development. *Health Research Policy and Systems*, 3:3 doi:10.1186/1478-4505-3-3, ISSN 1478-4505.

Divizia, M., Gabrieli, R., Stefanoni, M. L., Renganathan, E., El Ghazzawi, E., Kader, O. A., Gamil, F., El Sawaf, G., El Sherbini, E., Saleh, E., Degener, A. M., Noce, A., Zaratti, L., Modesti, A. and Pana, A. (1999). HAV and HEV infection in hospitalised hepatitis patients in Alexandria, Egypt. *Eur. J. Epidemiol.*, **15**, p603–609.

El Attar, L. (1982). The sanitary condition of rural drinking water in a Nile Delta Village. *Journal of Hygiene*, **88**(1), p63-67.

Elliston, P. and Edwards, R. T. (1999). The Health of North Wales Annual Report of the Director of Public Health, Section 3.2.6-Health impact assessment. Part of, *North Wales Health Authority*, 1999, ISBN 1 902844 03 3, p28-33.

Elson, B., Franceys, R., and Rhaw, R. (1999). Maintaining handpumps. *Task paper no. 33*, WELL/WEDC Loughborough University Leicestershire, accessed at www.lboro.ac.uk/well/resources/technical-briefs/33-maintaining-handpumps.pdf

El-Zimaity, D. M., Hyams, K. C., Imam, I. Z., Watts, D. M., Bassily, S., Naffea, E. K., Sultan, Y., Emara, K., Burans, J., Purdy, M. A., Bradley, D. W., and Carl, M. (1993). Acute sporadic hepatitis E in an Egyptian pediatric population. *Am J Trop Med Hyg*, **48**, p372–376.

Emerson, P. M., Bailey, R. L., Mahdi, O. S., Walraven, G. E., and Lindsay, S. W. (2000). Transmission ecology of the fly *Musca sorbens*, a putative vector of trachoma. *Trans R Soc Trop Med Hyg*, **94**, p28–32.

Esrey, S. A., Feachem, R. G., and Hughes, J. M. (1985). Interventions for the control of diarrhoeal diseases among young children: improving water supplies and excreta disposal facilities. *Bull World Health Organ*, **63**(4), p757-772.

Esrey, S. A. and Habicht, J. P. (1986). Epidemiological evidence for health benefits from improved water supplies and sanitation in developing countries. *Epidemiol Rev*, **8**, p117-28.

Esrey, S. A., Potash, J. B., Roberts, L., and Schiff, C. (1991). Effects of improved water supply and sanitation on ascariasis, diarrhoea, dracunculiasis, hookworm infection, schistosomiasis, and trachoma. *Bull World Health Organ*, **69**, p609-621.

Esrey, S. A. (1996). Water, waste and well-being: a multi-country study. *Am J Epidemiology*, **143**(6), p608-623.

Ettling, M., Steketee, R. W., Macheso, A., Schultz, L. J., Nyasulu, Y., and Chitsulo, L. (1994). Malaria knowledge, attitudes and practices in Malawi: survey population characteristics. *Trop Med Parasitol*, **45**(S1), p57-60.

European Centre for Health Policy (ECHP) & WHO-Regional Office for Europe (1999). Health Impact Assessment: Main concepts and suggested approaches. *Gothenburg Consensus Paper*, December 1999, published by WHO-ROE, Brussels, accessed at <http://www.euro.who.int/document/pae/gothenburgpaper.pdf>

Fehr, R. (1999). Environmental health impact assessment: evaluation of a ten-step model. *Epidemiology*, **10**(5), p618-625.

Fewtrell, L., Kaufmann, R. B., Kay, D., Enanoria, W., Haller, L., and Colford, J. M. Jr. (2005). Water, sanitation, and hygiene interventions to reduce diarrhoea in less developed countries: a systematic review and meta-analysis. *Lancet Infect Dis*, **5**, p42-52.

Fewtrell, L., Prüss-Ustün, A., Bos, R., Gore, F. and Bartram, J. (2007). Water, sanitation and hygiene: quantifying the health impact at national and local levels in countries with incomplete water supply and sanitation coverage. *WHO Environmental Burden of Disease Series No. 15*, World Health Organization, Geneva, 2007. ISBN 978 92 4 159575 9 p20-23.

Fix, A. D., Abdel-Hamid, M., Purcell, R. H., Shehata, M. H., Abdel-Aziz, F., Mikhail, N., el Sebai, H., Nafeh, M., Habib, M., Arthur, R. R., Emerson, S., and

- Strickland, G. T. (2000). Prevalence of antibodies to hepatitis E in two rural Egyptian communities. *Am J Trop Med Hyg*, **62**, p519-523.
- Fleeman, N. and Scott-Samuel, A. (2000). A prospective health impact assessment of the Merseyside Integrated Transport Strategy (MerITS). *J Public Health Med*, **22**(3), p268-274.
- Foley, N. (2005). Human geophagy: Modelling ingestion of elements from soils and clays. *The Geological Society of America (GSA) Southeastern Section - 54th Annual Meeting (March 17–18, 2005)*, paper presentation (Paper No. 20-5).
- Franssen, E.A.M., Staatsen, B.A.M., and Lebret, E. (2002). Assessing health consequences in an environmental impact assessment- The case of Amsterdam Airport Schiphol. *Environmental Impact Assessment Review*, **22**(6), p633-653.
- Geissler, P. W., Mwaniki, D. L., Thiong'o, F., and Friis, H. (1997). Geophagy among school children in Western Kenya. *Trop Med & Int Health*, **2**(7), p624-630(7).
- Geissler, P. W., Mwaniki, D., Thiong, F., and Friis, H. (1998). Geophagy as a risk factor for geohelminth infections: a longitudinal study of Kenyan primary schoolchildren. *Trans R Soc Trop Med Hyg*, **92**(1), p7-11.
- Genthe, B. and Strauss, N. (1997). The effect of type of water supply on water quality in a developing country in South Africa. *Water Science Technology*, **35**(11-12), p35-40.
- Glenni, C.E.R. (1979). The Rural Piped Water Programme in Malawi: A Case Study in Community Participation. *MSc Thesis, Department of Civil Engineering, Imperial College of Science and Technology, University of London*; accessed at: http://docs.watsan.net/Scanned_PDF_Files/Class_Code_8_Countries/824MW79-779.pdf
- Global Forum for Health Research (2001). The 10/90 report on health research-2000. *Geneva: c/o WHO 2001*, accessed at http://www.who.int/tdr/publications/publications/investing_report.htm

Global Policy Forum (2002). Growth of International NGOs between 1990 and 2000. *Global Policy Forum*, New York, accessed at <http://www.globalpolicy.org/ngos/tables/growth2000.htm>

Gordon, S. and Graham, S. (2006). Epidemiology of respiratory diseases in Malawi. *Malawi Medical Journal*, **18**(3), p 134-146.

Grantham-McGregor, S. M. and Fernald, L. C. (1997). Nutritional deficiencies and subsequent effects on mental and behavioural development in children. *Southeast Asian Journal of Tropical Medicine and Public Health*, **28**(S2), p 50-68.

Grantham-McGregor, S. M. (1995). A review of studies of the effect of severe malnutrition on mental development. *Journal of Nutrition*, **125**(S8), p 2233S-2238S.

Green, D. M., Scott, S. S., Mowat, D. A., Shearer, E. J., and Thomson, J. M. (1968). *Waterborne outbreaks of viral gastroenteritis and Sonne dysentery. J Hyg*, **66**, p 383-392.

Grimason, A. M., Davison, K., Tembo, K. C., Jabu, G. C., and Jackson, M. H. (2000). Problems associated with the use of pit latrines in Blantyre, Republic of Malawi. *The Journal of the Royal Society for the Promotion of Health*, **120**, p 175-182.

Government of Malawi (2000). Non-Governmental Organisations Bill, 2000-Memorandum. Accessed at <http://www.sdnp.org.mw/ngo/bill-2000/index.html>

Government of Malawi (2006). National Environmental Health Policy; Accessed at http://www.afro.who.int/des/phe/country_profiles/malawi_policy.pdf
Gulis, G (2004). Health impact assessment in CEE region: case of the former Czechoslovakia. *Environmental Impact Assessment Review*, **24**(2), p 169-175.

Hansell, A. and Aylin, P. (2003). Use of health data in health impact assessment. *Impact Assessment and Project Appraisal*, **21**(1), p 57-61.

Harris, P., Harris-Roxas, B., Harris, E., and Kemp, L. (2007). Health Impact Assessment: A Practical Guide. *Centre for Health Equity Training, Research and Evaluation (CHETRE)*, Sydney. Part of the UNSW Research Centre for Primary Health Care and Equity, UNSW. ISBN 1 876504 196.

Harvey, P. A. and Mukosha, L. (2004). Community Led Total Sanitation: Lessons from Zambia. *Paper presented at the 30th WEDC International Conference* (People-

centred Approaches to Water and Environmental Sanitation), Vientiane, Lao PDR, 2004.

Hassan, A. A., Birley, M. H., Giroult, E., Zghondi, R., Ali Khan, M. Z., and Bos, R. (2005). Environmental Health Impact Assessment of Development Projects: A Practical Guide for the WHO Eastern Mediterranean Region. *WHO Regional Centre for Environmental Health Activities (CEHA) and Health Impact Project (HIP) at Liverpool School of Tropical Medicine*, ISBN: 978-92-9021-397-0.

Health Canada (1999). Canadian Handbook on Health Impact Assessment. *Health Canada*, ISBN 0-662-28086-5

Heritage, J. (2003). Viruses. In "The Handbook of Water and Wastewater Microbiology", Chap. 2 pp. 40-41, Elsevier ISBN 0 12 470100 0

Howard, G, Ince, M, and Smith, M (2003). Rapid Assessment of Drinking Water Quality: A Handbook for Implementation-Joint Monitoring for Water Supply and Sanitation. *WEDC, Loughborough University*, ISBN 184380 042 X.

Hunter, J. M. (1993). Macroterm Geophagy and Pregnancy Clays in Southern Africa; *J Cultural Geography*, **14**, p69- 92.

Hutty, S. R. A., Morris, S. S., and Pisani, V. (1997). Prevention of diarrhoea in young children in developing countries. *Bull World Health Organ*, **75**(2), p165-174.

Hutton, G. (2000). Considerations in evaluating the cost-effectiveness of environmental health interventions. *World Health Organisation, Department of Protection of the Human Environment*, Geneva, 2000.

Hutton, G. and Haller, L. (2004). Evaluation of the costs and benefits of water and sanitation improvements at the global level. *Water, Sanitation, and Health-Protection of the Human Environment*, *World Health Organisation*, Geneva, WHO/SDE/WSH/04.04

Inhorn, M. C., and Brown, P. J. (Eds.) (1998). Anthropology of infectious disease-Anthropology of Infectious Disease: International Health Perspectives (Theory and Practice in Medical Anthropology and International Health). Routledge; 1 edition (January 1, 1998), ISBN-13: 978-9056995553, p.215.

International Association for Impact Assessment (IAIA), 2008, electronic networks: <http://www.iaia.org/modx/index.php?id=324>

International Environmental Technology Centre (2000). International source book on environmentally sound technologies for wastewater and stormwater management. *UNEP*, Osaka, accessed at http://www.unep.or.jp/Ietc/Publications/TechPublications/TechPub-15/main_index.asp

Ison, E. (2000). Resource for health impact assessment, Vol. 1, Part III, Section6: Models of health impact assessment. *NHS Executive, London*, accessed at <http://www.londonshealth.gov.uk/allpubs.htm#hia>

Jabu, G. C. (2007). Assessment and comparison of microbial quality of drinking water in Chikwawa, Malawi. *MPhil thesis, University of Strathclyde, Glasgow*, UK

Jenkins, M. W., and Curtis, V. (2005). Achieving the 'good life': why some people want latrines in rural Benin. *Social Science & Medicine*, **61**(11), p2446-2459.

Jha, P. K. (2003). Health and social benefits from improving community hygiene and sanitation: an Indian experience. *Int Journal of Environmental Health Research*, **13**, S133-S140.

Jobin, W. (2003). Health and equity impacts of a large oil project in Africa. *Bull World Health Organ*, **2003**(81), p6.

Joffe, M. and Mindell, J. (2002). A framework for the evidence base to support Health Impact Assessment. *J of Epidemiology and Comm Health*, **56**, p132-138.

Kar, K. (2003). Subsidy or self-respect? Participatory total community sanitation in Bangladesh. *Institute of Development Studies*, England, ISBN 1 85864 525 5

Karanja, B. and Shordt, K. (2004). Some lessons learnt about how to study hygiene behaviour. *Paper presented at the 30th WEDC International Conference* (People-centred Approaches to Water and Environmental Sanitation), Vientiane, LAO PDR.

Kemm, J. (1999). Developing health impact assessment in Wales. *Health Promotion Division, National Assembly for Wales*, Cardiff; accessed at

http://www.wales.gov.uk/subihealth/content/keypubs/healthimpact/pdf/healthimp_e.pdf

Kemm, J. (2003). Health Impact Assessment: a tool for Healthy Public Policy. *Health Promotion International*, **16**(1), p79-85.

Kemm, J. (2004). What is health impact assessment and what can it learn from EIA?. Editorial, *Environmental Impact Assessment Review*, **24**(2004), p131-134.

Kilabuko, J. H. and Nakai, S. (2007). Effects of Cooking Fuels on Acute Respiratory Infections in Children in Tanzania. *Int J Environ Res Public Health*, **4**(4), p283-288.

King, C. H., Dickman, K., and Tisch, D. J. (2005). Reassessment of the cost of chronic helminthic infection: a meta-analysis of disability-related outcomes in endemic schistosomiasis. *Lancet*, **365**, p1561-69.

Kolsky, P. J. (1993). Water, sanitation, and diarrhea: the limits of understanding. *Trans of the Royal Soc of Tropical Medicine and Hygiene*, **87**(3), p43-36.

Korenromp, E. L., Williams, B. G., de Vlas, S. J., Gouws, E., Gilks, C. F., Ghys, P. D., and Nahlen, B. L. (2005). Malaria Attributable to the HIV-1 Epidemic, Sub-Saharan Africa. *Emerging Infectious Diseases*, **11**(9), p1410-1419.

Kreiger, N., Northridge, M., Gruskin, S., Quinn, M., Kreibel, D., Davey Smith, G., Bassett, M., Rehkopf, D. H., Miller, C. and the HIA "promise and pitfalls" conference group (2003). Assessing health impact assessment: multidisciplinary and international perspectives. *Journal of Epidemiology and Community Health*, **57**, p659-662.

Kuper, H., Solomon, A. W., Buchan, J., Zondervan, M., Foster, A. and Mabey, D. (2003). A critical review of the SAFE strategy for the prevention of blinding trachoma. *Lancet Infect Dis*, **3**, p372-81.

Kvarnström, E., Bracken, P., Ysunza, A., Kärrman, E., Finnsson, A., and Saywell, D. (2004). Sustainability criteria in sanitation planning. *Paper presented at 30th WEDC International Conference (People-Centred Approaches to Water and Environmental Sanitation)*, Vientiane, Lao PDR.

Kwiatkowski, R. E. and Ooi, M. (2003). *Integrated environmental impact assessment: a Canadian example*. *Bull World Health Organ*, **81**, p434-438.

Laryea, N. O. (1995). Health education in water and sanitation projects. *Paper presented at the 21st WEDC Conference* (Sustainability of Water and Sanitation Projects), Kampala, Uganda.

Lechtig, A. and Doyle, B. (1996). The impact of water and sanitation on malnutrition and under 5 mortality rates. *WATERfront*, **1996**(8), p5-19.

Lindskog, P. and Lindskog, U. (1988). Bacterial contamination of water in rural areas- An intervention study in Malawi. *Journal of Tropical Medicine*, **91**, p1-7.

Lock, K. (2000). Health impact assessment. *British Medical Journal*, **320**, p1395–1398.

Lopez-Gunn, E. and Cortina, L. (2006). Is self-regulation a myth? Case study on Spanish groundwater user associations and the role of higher-level authorities. *Hydrogeology Journal*, **14**(3), p361-379.

Love, K., Pritchard, C., Maguire, K., McCarthy, A., and Paddock, P. (2005). Qualitative and quantitative approaches to health impact assessment: An analysis of the political and philosophical milieu of the multi-method approach. *Critical Public Health*, **15**(3), p275-289(15).

Luby, S. P., Agboatwalla, M., Feikin, D. R., Painter, J., Billhimer, W., Altaf, A., and Hoekstra R. M. (2005a). Effect of handwashing on child health: a randomised controlled trial. *Lancet*, **366**, p225–233.

Luby, S. P., Agboatwalla, M., Painter, J., Altaf, A., Billhimer, W. L., and Hoekstra, R. M. (2005b). Effect of intensive handwashing promotion on childhood diarrhea in high-risk communities in Pakistan: a randomized controlled trial. *JAMA*, **291**, p2547–2554.

Luoba, A. I., Geissler, P. W., Estambale, B., Ouma, J. H., Magnussen, P., Alusala, D., Ayah, R., Mwaniki, D., and Friis, H. (2004). Geophagy among pregnant and lactating women in Bondo District, western Kenya. *Trans Royal Soc Trop Med and Hyg*, **98**(12), p734-741.

Mahoney, M. E., Potter, J. L., and Marsh, R. S. (2007). Community participation in HIA: Discords in teleology and terminology. *Critical Public Health*, **17**(3), p229-241(13).

Makwira, J. (2004). Non-Governmental Organizations (NGOs) and Participatory Development in Basic Education in Malawi. *Current Issues in Comparative Education*, Teachers College, Columbia University, **6**(2), p113-124.

Malawi COMWASH design mission report- Health component, 1999

Mallewa, M., Fooks, A. R., Banda, D., Chikungwa, P., Mankhambo, L., Molyneux, E., Molyneux, M. E., and Solomon, T. (2007). Rabies Encephalitis in Malaria-Endemic Area, Malawi, Africa; *Emerging Infectious Diseases*, **13**(1), p136-139.

Mariotti, S. P., Pruss, A. (2000). The SAFE strategy- A guide for environmental sanitation and improved hygiene. World Health Organisation, Geneva, accessed at http://whqlibdoc.who.int/hq/2000/WHO_PBD_GET_00.7_Rev.1.pdf

Mast, E E and Alter, M J (1992). Epidemiology of viral hepatitis: an overview. *Semin Virol*, **4**, p273—283.

Maxwell, C. A., Curtis, C. F., Haji, H., Kisumu, S., Thalib, A. I., and Yahya, S. A. (1990). Control of bancroftian filariasis by integrating therapy with vector control using polystyrene beads in wet pit latrines. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, **84**, p709 -714.

Mendez, M. A. and Adair, L. S. (1999). Severity and timing of stunting in the first two years of life affect performance on cognitive tests in late childhood. *Journal of Nutrition*, **129**(8), p1555-1562.

Merelo-Lobo, A. R., McCall, P. J., Perez, M. A., Spiers, A. A., Mzilahowa, T., Ngwira, B., Molyneux, D. H., and Donnelly, M. J. (2003). Identification of the vectors of lymphatic filariasis in the Lower Shire Valley, southern Malawi. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, **97**, p299-301.

Mindell, J., Hansell, A., Morris, D., Douglas, M., and Joffe, M. (2001). What do we need for robust quantitative health impact assessment?. *J Public Health Med*, **2001** (23), p173-178.

Ministry of Water Development (1998); *Extension workers guide for training of water point and caretaker committees*; Ministry of Water Development, Government of Malawi, Lilongwe, November 1998

Mishra, V. (2003). Indoor air pollution from biomass combustion and acute respiratory illness in preschool age children in Zimbabwe. *Int J Epidemiol*, **32**(5), p847-853.

Mishra, V. K., Rutherford, R. D., and Smith, K. R. (1999). Biomass cooking fuels and prevalence of blindness in India. *J Environ Med*, **1**, p189–199.

Mitra, A. and Dutt, A. (2002). Women's participation in water supply and sanitation. Paper presented at 28th WEDC Conference (Sustainable Environmental Sanitation and Water Services), Kolkata (Calcutta), India

Moe, C. and Rheingans, R. D. (2006). Global challenges in water, sanitation, and health. *J of Water and Health*, **4**(S), p41-57.

Morgan, P. (1993). Maintenance, the Key to Handpump Survival. *Waterlines*, **11**(4), p2-4.

Morgan, R. (2003). Health impact assessment: the wider context. *Bull World Health Organ*, **2003**(81), p6.

Morgan, R. K. (2007). Linking HIA and other forms of impact assessment. *Presentation at the HIA 2007 South East Asian and Oceania Regional HIA Conference*

Morse, T. D. (2006);; A public health approach to reducing diarrhoea caused by infectious diseases in children less than 5 years of age - The example of childhood cryptosporidiosis in Malawi. *PhD thesis, University of Strathclyde, Glasgow, UK*

Mulwafu, W. O. and Msosa, H. K. (2005). IWRM and poverty reduction in Malawi: a socioeconomic analysis. *Physics and Chemistry of the Earth*, **30**, p961-967.

Musambayane, N., Lidonde, R., van Houten, H. [editor] and Musumba, B. [editor] (2000). Demand responsiveness, participation, gender, and poverty - making the links with sustainability of water and sanitation programs. *East and Southern Africa regional synthesis report, UNDP- Water and Sanitation Programme*

accessed at http://docs.watsan.net/Downloaded_Files/PDF/WSPESA-2000-Demand.pdf

Muula, A. S. and Maseko, F. C. (2006). How are health professionals earning their living in Malawi?. *BMC Health Services Research*, **6**(97).

National AIDS Commission- Malawi (2004). *Malawi national HIV/AIDS estimates-2003: Technical Report*. Lilongwe, Malawi.

National Statistics Office- Malawi (2005). Malawi Demographic and Health Survey, 2004. *National Statistics Office*, Zomba, Malawi

Nchito, M., Geissler, P. W., Mubila, L., Friis, H. and Olsen, A. (2004). Effects of iron and multimicronutrient supplementation on geophagy: a two-by-two factorial study among Zambian schoolchildren in Lusaka. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, **98**(4), p218-227.

New Zealand Public Health Commission (1998). A Guide to Health Impact Assessment. *Ministry of Health, New Zealand*, Wellington

Nielsen, N. O., Makaula, P., Nyakuipa, D., Bloch, P., Nyasulu, Y., and Simonsen, P. E. (2002). Lymphatic filariasis in Lower Shire, southern Malawi. *Trans Roy Soc Trop Med Hyg*, **96**, p133-138.

Noppen, D. (Ed) (1996). Village level operation and maintenance handpumps- Experiences from Karonga, Malawi. *IDRC*, The Hague, Netherlands, accessed at http://docs.watsan.net/Scanned_PDF_Files/Class_Code_2_Water/232.2-96VI-13798.pdf

OECD statistics database (2006), <http://webnet.oecd.org/wbos/>

Onabolu, B., Bukkuyum, J. and Onyilo, G. (2008). Think globally, act locally: Community action planning critical to attaining global sanitation targets. *Paper presented at the 33rd WEDC Conference* (Access to Sanitation and Safe Water: Global Partnerships and Local Actions), Accra, Ghana

Onyilo, G. and Osaigbovo, I. (2003). Promoting rural sanitation through subsidy. *Paper presented at the 29th WEDC International Conference (Towards the MDGs)*, Abuja, Nigeria

Palazuelos, E. (1993). Plomo y salud: Impacto ambiental de la reformulación de las gasolinas en la zona metropolitana de la ciudad. De Mexico: Una evaluación económica. *Grupo Interinstitucional de Estudios en Plomo*.

Parry, J. and Stevens, A. (2001). Prospective health impact assessment: pitfalls, problems, and possible ways forward. *BMJ*, **323**, p1177-1182.

Parry, J. and Wright, J. (2003). Community participation in health impact assessments: intuitively appealing but practically difficult. *Bull World Health Organ*, **2003**(81), p6.

Pathak, B. (1996). NGOs role in sanitation sector. *Paper presented at the 22nd WEDC Conference (Reaching the Unreached: Challenges for the 21st Century)*, New Delhi, India.

Paunio, M. K. and Acharya, A. (2007). Malnutrition and Environmental Health: The Neglected Story of Children in Developing Countries. *Presentation in June 2007, Poverty and Environment Partnership (PEP) 11th Meeting*

Pencheon, D. (2008). The Good Indicators Guide: Choosing how to use and choose indicators. *NHS Institute for Innovation and Improvement*, January 2008 accessed at <http://www.apho.org.uk/resource/item.aspx?RID=44584>

Percival, S. L., Chalmers, R. M., Embrey, M., Hunter, P. R., Sellwood, J., and Wyn-Jones, P. (2004). Microbiology of waterborne diseases. *Elsevier Academic Press*, ISBN 0 12 551570 7, Chap. 13, pp. 185-193.

Pohl, C. (2005). Transdisciplinary collaboration in environmental research. *Futures*, **37**(10), p1159-1178.

Ponce, R. A., Bartell, S. M., Wong, E. Y., LaFlamme, D., Carrington, C., Lee, R. C., Patrick, D. L., Faustman, E. M., and Bolger, P. M. (2000). Use of quality-adjusted life year weights with dose-response models for public health decisions: a case study of the risks and benefits of fish consumption; *Risk Analysis*, **20**(4), p529-542. Population Health Resource Branch (1994). Health Impact Assessment Toolkit: A Resource for Government Analyst. *Ministry of Health, Victoria, British Columbia*.

Prüss, A., Kay, D., Fewtrell, L., and Bartram, J. (2002). Estimating the burden of disease from water, sanitation, and hygiene and a global level. *Environmental Health Perspectives*, **110**(5), p537-542.

Prüss-Üstün, A., Kay, D., Fewtrell, L., and Bartram, J. (2004). Unsafe water, sanitation and hygiene; In "Comparative quantification of health risks. Global and regional burden of disease attributable to selected major risk factors. Volume 1", Ezzati, M, Lopez, A D, Rodgers A, Murray C J L (eds). *World Health Organization*, Geneva.

Prüss-Ustün, A. and Corvalán, C. (2006). Preventing disease through healthy environments: Towards an estimate of the environmental burden of disease. *World Health Organisation*, Geneva, ISBN 92 4 159382 2.

Prüss-Üstün, A., Bos, R., Gore, F., and Bartram, J. (2008). Safe water, better health: Costs, benefits and sustainability of interventions to protect and promote health. *World Health Organisation*, Geneva, ISBN 978 92 4 1596 43 5.

Rabie, T. A. (2002). A cluster randomised controlled trial to assess the impact of handwashing with soap on diarrhoeal diseases and acute respiratory infections in children in rural Upper Egypt. *MSc Thesis, London School of Hygiene and Tropical Medicine, London*.

Randall, A. E., Perez, M. A., Floyd, S., Black, G. F., Crampin, A. C., Ngwira, B., Piston, W. N., Mulawa, D., Sichali, L., Mwaungulu, L., Bickle, Q., and Fine, P. E. M. (2002). Patterns of helminth infection and relationship to BCG vaccination in Karonga District, northern Malawi. *Trans Roy Soc Trop Med Hyg*, **96**, p29-33.

Ratner, P. A., Green, L. W., Frankish, C. J., Chomik, T., and Larsen, C. (1997). Setting the stage for health impact assessment. *Journal of Public Health Policy*, **18**, p67-69.

Reed, B. (2005). Minimum water quantity needed for domestic use in emergencies. *WHO Technical Series, Technical notes for emergencies, no. 9*, accessed at: http://wedc.lboro.ac.uk/WHO_Technical_Notes_for_Emergencies/9%20-%20Minimum%20water%20quantity.pdf

Rice, A. L., Sacco, L., Hyder, A., and Black, R. E. (2000). Malnutrition as an underlying cause of childhood deaths associated with infectious diseases in developing countries. *Bull World Health Organ*, **78**(10), p1207-1221.

Roberts, L. and Hofmann, C. A. (2004). Assessing the impact of humanitarian assistance in the health sector. *Emerging Themes in Epidemiology*, **1**(3).

Rosenfield, P. L. (1992). The potential of transdisciplinary research for sustaining and extending linkages between the health and social sciences. *Social Science & Medicine*, **35**(11), p1343-1357.

Ryan, M. A. K., Christian, R. and Wohlrabe, J. (2001). Handwashing and respiratory illness among young adults in military training. *American Journal of Preventive Medicine*, **21**, p79-83.

Sakti, H., Nokes, C., Hertanto, W., Hendratno, S., Hall, A., Bundy, D. A. P., and Satoto (1999). Evidence for an association between hookworm infection and cognitive function in Indonesian school children. *Tropical Medicine and International Health*, **4**(5), p322-334 (13).

Satterthwaite, D., Hart, R., Levy, C., Mitlin, D., Ross, D., Smit, J., and Stephens, C. (1996). The environment for children. *Earthscan Publications Ltd.*, London, ISBN-13 978-1853833212.

Schroeder, E. and Wuertz, S. (2003); Bacteria; In "The Handbook of Water and Wastewater Microbiology", Chap. 3 pp. 59-63, Elsevier ISBN 0 12 470100 0.

Scott, B., Curtis, V., Rabie, T. and Garbrah-Aidoo, N. (2007). Health in our hands, but not in our heads: understanding hygiene motivation in Ghana. *Health Policy and Planning*, **22**(4), p225-233.

Scott-Samuel, A. (1998). Health impact assessment: theory into practice. *Journal of Epidemiology and Community Health*, **52**, p704-705.

Scott-Samuel, A., Birley, M., and Arden, K. (2001). Merseyside Guidelines for health impact assessment. Second Edition, *International Health Impact Assessment Consortium*, ISBN 1 874038 56 2.

Semba, R. D. (1999). Vitamin A and immunity to viral, bacterial and protozoan infections. *Proc Nutr Soc*, **58**, p719–727.

Semu-Banda, P. (2007). Economy-Malawi: Uranium Mining Sparks Controversy. Article published in *Inter Press Service News Agency* on July 17, 2007, accessed at <http://ipsnews.net/news.asp?idnews=38572>

Service, M. W. (1986). Lecture notes on Medical Entomology. Blackwell Scientific Publications, ISBN 0-632-01525-X.

Shankar, A. H., Genton, B., Semba, R. D., Baisor, M., Paino, J., Tamja, S., Adiguma, T., Wu, L., Rare, L., Tielsch, J. M. (1999). Effect of vitamin A supplementation on morbidity due to Plasmodium falciparum in young children in Papua New Guinea: a randomised controlled trial. *Lancet*, **354**, p203–209.

Shordt, K. (2004). Sustainability of hygiene promotion and education: a six country research study. *Paper presented at 30th WEDC International Conference (People-centred Approaches to Water and Environmental Sanitation)*, Vientiane, Lao, PDR

Simpson-Herbert, M. and Wood, S. [eds.] (1998). Sanitation Promotion. *World Health Organisation/Water Supply and Sanitation Collaborative Council* (Working Group on Promotion of Sanitation), unpublished document WHO/EOS/98.5

Smith, K.R. (2000). National burden of disease in India from indoor air pollution. *Proc Nat Acad Sci*, **97**, p13286–13293.

Smith, K. R. (2002). Indoor air pollution in developing countries: recommendations for research. *Indoor Air*, **12**, p198-207.

Smith, K. R., Samet, J. M., Romieu, I. and Bruce, N. (2000). Indoor air pollution in developing countries and acute lower respiratory infections in children. *Thorax*, **55**, p518–532.

Solomon, N. W., Mazariegos, M., Brown, K. H., and Klasing, K. (1993). The underprivileged developing country child: Environmental contamination and growth failure revisited. *Nutrition Reviews*, **51**(11), p327-332.

SPHERE Project (2004). Chapter 2- Minimum standards in water, sanitation, and hygiene promotion. In "Humanitarian Charter and Minimum Standards in Disaster Response", *The Sphere Project*, Geneva, ISBN 92-9139-097-6

Spiers, A. A., Mzilahowa, T., Atkinson, D., and McCall, P. J. (2002). The malaria vectors of the Lower Shire Valley, Malawi. *Malawi Medical Journal*, **14**, p4-7.

Stalker, L. (2001). Why some village water and sanitation committees are better than others: A study of Karnataka and Uttar Pradesh (India). Field note in study "The relationship between good governance and the effectiveness of water supply projects: A Study of Village Water and Sanitation Committees in Karnataka and Uttar Pradesh", *The Water and Sanitation Programme*, accessed at http://docs.watsan.net/Downloaded_Files/PDF/Stalker-2001-Why.pdf

Steinemann, A. (2000). Rethinking human health impact assessment. *Environmental Impact Assessment Review*, **20**(6), p627-645 (19).

Stephenson, C. B. (1999). Burden of infection on growth failure. *Journal of Nutrition*, **129**(2S), p534S-538S.

Stoszek, S. K., Abdel-Hamid, M., Saleh, D. A., El Kafrawy, S., Narooz, S., Hawash, Y., Shebl, F. M., El Daly, M., Said, A., Kassem, E., Mikhail, N., Engle, R. E, Sayed, M, Sharaf, S, Fix, A D, Emerson, S U, Purcell, R H, and Strickland, G T (2006). High prevalence of hepatitis E antibodies in pregnant Egyptian women; *Trans Roy Soc Trop Med & Hyg*, **100**, p95-101.

Sugden, S. (2003). Indicators for the water sector: examples from Malawi. WaterAid Case study as part of the Water and Poverty Dialogue Initiative at the *3rd World Water Forum*, March 2003, Japan.

Taha, A. Z., Sebai, Z. A., Shahidullah, M., Hanif, M., and Ahmed, H. O. (2000). Assessment of water use and sanitation behaviour in a rural area in Bangladesh. *Arch Environ Health*, **55**(1), p51-57.

Tambulasi, R. I. C. and Kayuni, H. M. (2007). An analysis of the sustainability of the third phase of Blantyre City Fuelwood Project in Malawi using the sustainability matrix. *The International Journal of Sustainable Development and World Ecology*, **14**(3), p235-242(8).

Taylor, H. R., West, S. K., Mmbaga, B. B. O., Katala, S. J., Turner, V., Lynch, M., Muñoz, B., and Rapoza, P. A. (1989). Hygiene factors and increased risk of trachoma in central Tanzania. *Archives of Ophthalmology*, **107**, p1821–1825.

The Federation of Swedish County Councils (1998). Focusing on Health-HIA: How can the health impact of policy decisions be assessed. Accessed at <http://www.If.se/hkb/engelskversion/enghkb.htm>

Thomas, D. and Frankenberg, E. (2002). Health, nutrition, and prosperity: a microeconomic perspective. *Bull World Health Organ*, **80**, p 106-113.

Thomassen, J., Mumbi, C. T., and Kaltenbom, B. P. (Eds, 2003). Environmental Impact Assessment (EIA) training course as part of the TAWIRI –NINA collaborative programme in capacity building. *NINA Project Report 25*, Trondheim, November 2003, ISBN 82-426-1423-7.

Thomson, T. (2002). Knowledge, attitudes and practice towards water safety and water use in Malawi. *Survey, Population Services International*, accessed at http://www.psimalawi.org/docs/knowledge_attitudes_water.pdf

Trevett, A. (2002). Household Water Security- the Quality Component. *Waterlines*, **21**(4).

Tugwell, P. (1973). Glucose-6-phosphate dehydrogenase deficiency in Nigerians with jaundice associated with lobar pneumonia. *Lancet*, **1**(7810), p968–969.

Tumwine, J. K., Thompson, J., Katui-Katua, M., Mujwahuzi, M., Johnstone, N., and Porras, I. (2003). Sanitation and hygiene in urban and rural households in East Africa. *Int Journal of Environmental Health Research*, **13**(2), p 107-115.

UN-Water (2006). Gender, water and sanitation: A Policy Brief. Accessed at <http://www.unwater.org/downloads/unwpolbrief230606.pdf>

United Nations/World Water Assessment Programme (2003). UN World Water Development Report: water for people, water for life. Paris, New York, and Oxford: UNESCO and Berghahn Books.

UNDP (2002). Human Development Report 2002: Deepening Democracy in a Fragmented World. *United Nations Development Programme*, New York.

UNEP, UNICEF, and WHO (2002). Children in the New Millennium: Environmental Impact on Health. *United Nations Environment Programme, United Nations Children's Fund, and World Health Organisation*, ISBN 92-807-2065-1.

UNICEF (1999). A Manual on Communication for Water Supply and Environmental Sanitation. *Water, Environment and Sanitation Technical Guidelines Series - No. 7, UNICEF/Programme Division*, Water, Environment and Sanitation Section (ID No. PD/WES/99/2).

UNICEF (2002). The State of the World's Children 2002. *United Nations Children's Fund*, New York.

UNICEF (2008). The State of Africa's Children 2008- Executive Summary. *United Nations Children's Fund*, New York.

UNICEF (2009). Water, sanitation and hygiene. *United Nations Children's Fund, New York*, accessed at <http://www.unicef.org/wash/>

Utzinger, J., Wyss, K., Moto, D. D., Yémadji, N., Tanner, M. and Singer, B. H. (2005). Assessing health impacts of the Chad–Cameroon petroleum development and pipeline project: challenges and a way forward. *Environmental Impact Assessment Review*, **25**(1), p63-93.

van den Broek, N. R., Rogerson, S. J., Mhango, C. G., Kambala, B., White, S. A., and Molyneux, M. E. (2000). Anaemia in pregnancy in southern Malawi: prevalence and risk factors. *British Journal of Obstetrics and Gynaecology*, **107**, p445-451.

Varley, R. C. G., Tarvid, J., and Chao, D. N. W. (1998). A reassessment of the cost-effectiveness of water and sanitation interventions in programmes for controlling childhood diarrhoea. *Bull World Health Organ*, **76**(6), p617-631.

Veerman, J. L., Barendregt, J. J., and Mackenbach, J. P. (2005). Quantitative health impact assessments: current practice and future directions. *J Epidemiology Comm Health*, **59**, p361-370.

Verhoeff, F. H., Brabin, B. J., Hart, C. A., Chimsuku, L., Kazembe, P., and Broadhead, R. L. (1999). Increased prevalence of malaria in HIV-infected pregnant women and its implications for malaria control. *Tropical Medicine and International Health*, **4**(1), p5-12.

Verhoeff, F. H. (2000). Malaria in pregnancy and its consequences for the infant in rural Malawi. *PhD thesis, University of Leiden*, Leiden, The Netherlands.

Walker, A. R. P., Walker, B. F., Sookaria, F. I., and Canaan, R. J. (1997). Pica. *J Roy Soc for Promotion of Health*, **117**, p280- 284.

Walter, A. I., Helgenberger, S., Wiek, A. and Scholz, R. W. (2007). Measuring societal effects of transdisciplinary research projects: Design and application of an evaluation method. *Evaluation and Program Planning*, **30**(4), p325-338.

WaterAid (2001). A Review of the poverty reduction strategy programme process in relation to the water and sanitation sector and comments on the resulting priorities produced by the thematic group. *WaterAid working group*, August 2001.

WaterAid (2008). Technology Notes- Sanitation. Accessed at
http://www.wateraid.org/international/what_we_do/how_we_work/sustainable_technologies/technology_notes/2064.asp

WaterAid (2009). Fatal neglect: How health systems are failing to comprehensively address child mortality. March 2009, accessed at
http://www.wateraid.org/documents/plugin_documents/wateraid_fatal_neglect.pdf

WELL (1998). Guidance Manual on Water Supply and Sanitation Programmes. *Water and Environmental Health at London and Loughborough, London School of Hygiene and Tropical Medicine, and Water Engineering and Development Centre (WEDC)*, prepared for Department for International Development (DFID), ISBN 0906055 58 X

Water for People (2006). Water for People- Malawi: Country Strategy. *Water for People*, accessed at
<http://ww2.waterforpeople.org/pdfs/international/Malawi/MalawiCountryStrategy2007-2011.pdf>

Webster, J., Dejachew, G., G/Tseion, B., Mehari, M., and Tesfaye, G. (1999). Sustainability of rural water and sanitation projects. *Paper presented at the 25th WEDC Conference (Integrated Development for Water Supply and Sanitation)* Addis Ababa, Ethiopia.

Welte, J. W. and Russel, M. (1993). Influence of socially desirable responding in a study of stress and substance abuse. *Alcohol Clin Exp Res*, **17**, p758–761.

Whitworth, J., Morgan, D., Quigley, M., Smith, A., Mayanja, B., Eotu, H., Omoding, N., Okongo, M., Malamba, S., and Ojwiya, A. (2000). Effect of HIV-1 and increasing immunosuppression on malaria parasitaemia and clinical episodes in adults in rural Uganda: a cohort study. *Lancet*, **356**(9235), p1051–1056.

WHO (1986). Ottawa Charter for Health Promotion: First International Conference on Health Promotion. Ottawa 21 November 1986

WHO/HPR/HEP/95.1; accessed at
http://www.who.int/hpr/NPH/docs/ottawa_charter_hp.pdf

WHO (1996). Water and sanitation fact sheet no. 112. *World Health Organisation*, Geneva

WHO (2000). Tools for assessing the O & M status of water supply and sanitation in developing countries. *World Health Organisation*, Geneva, WHO/SDE/WSH.00.3, accessed at
http://www.who.int/water_sanitation_health/hygiene/om/ToolsAssess.pdf

WHO (2002). World Health Report- 2002. *World Health Organisation*, Geneva

WHO (2004). Death and DALY estimates for 2002 by cause for WHO Member States. *World Health Organisation*, Geneva, accessed at
<http://www.who.int/healthinfo/bodestimates/en/index.html>

WHO (2006). Mortality Country Fact Sheet-Malawi. *World Health Organisation*, Geneva accessed at
http://www.who.int/whosis/mort/profiles/mort_afro_mwi_malawi.pdf

WHO (2007). Country Profiles of Environmental Burden of Disease: Malawi. *Public Health and the Environment 2007*, *World Health Organisation*, Geneva

WHO (2008a). WHO Statistical Information System. *World Health Organisation*, Geneva; accessed at <http://www.who.int/whosis/en/>

WHO (2008b). Cholera Country Profile- Malawi. *WHO Global Task Force on Cholera Control*, *World Health Organisation*, Geneva, accessed at
<http://www.who.int/cholera/countries/MalawiCountryProfile2008.pdf>

WHO (2008c). Global burden of disease report- 2004 update. *World Health Organisation*, Geneva, ISBN 978 92 4 156371 0

WHO- ROE (2007). Health impact assessment methods and strategies. *World Health Organisation-Regional Office for Europe*, accessed at <http://www.euro.who.int/healthimpact>

WHO/UNICEF (2000). Global Water Supply and Sanitation Assessment, 2000. *Report 7-2 of the World Health Organization and the United Nations Children's Fund Joint Monitoring Programme for Water Supply and Sanitation.*

WHO/UNICEF (2003). Challenges to Life and Well-being. Part 3 of The World Water Development Report- Water for People, Water for Life. *The World Health Organization and the United Nations Children's Fund*, p102-125.

WHO/UNICEF (2006). Meeting the MDG Drinking Water and Sanitation- The urban and rural challenge of the decade. *World Health Organization and United Nations Children's Fund*, Geneva.

WHO Working Group (2000); Evaluation and use of epidemiological evidence for environmental health risk assessment: WHO guideline document; *Environmental Health Perspectives*, **108**, p997-1002.

Winters, L. (1997). Health Impact Assessment: a Literature Review. Observatory Report Series No. 36. *Liverpool Public Health Observatory*, Liverpool

Winters, L. Y. (2001). A prospective health impact assessment of the international astronomy and space exploration center. *J of Epidemiology and Comm Health*, **55**, p433-441.

Wood, M. (1993). A handpump for Africa: the Afridev experience; *Waterlines*, **11**(4), p29- 31.

Wood, M. (1994). Are handpumps really affordable?. In the Proceedings of the 20th WEDC Conference, WEDC, p132-134.

World Bank (1990). Workshop on goals and indicators for monitoring and evaluation for water supply and sanitation. The *World Bank*, June 25-29, 1990, Geneva, accessed at <http://go.worldbank.org/UKAOG31JS0>

World Bank (2004). Implementation completion and results report for national water development project for the Republic of Malawi. The *World Bank*, accessed at <http://go.worldbank.org/ACCZVRMOH0>

Wright, J., Parry, J., and Scully, E. (2005). Institutionalizing policy-level health impact assessment in Europe: is coupling health impact assessment with strategic environmental assessment the next step forward?. *Bull World Health Org*, **83**(6), June 2005.

Young, S. L., Goodman, D., Farag, T. H., Ali, S. M., Khatib, M. R., Khalfan, S. S., Tielsch, J. M., and Stoltzfus, R. J. (2007). Geophagia is not associated with Trichuris or hookworm transmission in Zanzibar, Tanzania. *Trans Roy Soc Trop Med Hyg*, **101**, p766–772.

Ye, Y., Traore, C., Meissner, P., Coulibaly, B., Becher, H., and Muller, O. (2007). Ability of mothers to diagnose fever and anaemia in their young children, in a malaria-endemic region of West Africa. *Ann Trop Med Parasitology*, **101**(4), p297-303.

Zachariah, R., Harries, A. D., Arendt, V., Nchingu, D., Chimtulo, F., Courteille, O. and Kirpach, P. (2002). Characteristics of a cholera outbreak, patterns of Vibrio cholerae and antibiotic susceptibility testing in rural Malawi. *Trans Roy Soc Trop Med & Hyg*, **96**, p39-40.

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.